



SUNCOR STAINLESS, INC.

# HOOKS & CLIPS



## CLEVIS GRAB HOOK

316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
(nominal size)						(lb)	(lb)
S0451-0007	1/4"	0.31"	0.41"	0.34"	1.83"	1,500	0.40
S0451-0008	5/16"	0.37"	0.36"	0.40"	2.08"	2,000	0.60
S0451-0010	3/8"	0.47"	0.43"	0.48"	2.55"	2,500	1.05
S0451-0013	1/2"	0.54"	0.50"	0.60"	2.85"	3,600	1.84

**NOTE:**  
MEETS ASME B30.10-2010. WORKING LOADS ARE BASED ON GRADUAL PULL, NOT SHOCK LOADS. INCLUDES REMOVABLE CLEVIS PIN. FOR CHAIN SLING ASSEMBLIES, SEE PAGE 15.

## CLEVIS SLIP HOOK

316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
(nominal size)						(lb)	(lb)
S0452-0007	1/4"	0.31"	0.41"	0.58"	2.59"	1,000	0.57
S0452-0008	5/16"	0.37"	0.42"	0.83"	2.71"	1,500	0.82
S0452-0010	3/8"	0.47"	0.56"	0.95"	3.23"	2,000	1.14
S0452-0013	1/2"	0.54"	0.64"	1.05"	3.58"	3,000	2.13

**NOTE:**  
MEETS ASME B30.10-2010. WORKING LOADS ARE BASED ON GRADUAL PULL, NOT SHOCK LOADS. INCLUDES REMOVABLE LATCH & CLEVIS PIN. FOR CHAIN SLING ASSEMBLIES, SEE PAGE 15. LARGER WLL HOOK DESIGNS ARE IN PROCESS. PLEASE CALL FOR AVAILABILITY.

## EYE GRAB HOOK

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
(nominal size)					(lb)	(lb)
S0453-0007	1/4"	0.50"	0.35"	2.00"	1,500	0.35
S0453-0008	5/16"	0.56"	0.43"	2.25"	2,000	0.56
S0453-0010	3/8"	0.65"	0.50"	2.50"	2,500	0.89
S0453-0013	1/2"	0.88"	0.66"	3.15"	3,600	1.51

**NOTE:**  
MEETS ASME B30.10-2010. WORKING LOADS ARE BASED ON GRADUAL PULL, NOT SHOCK LOADS. FOR CHAIN SLING ASSEMBLIES, SEE PAGE 15.

## EYE SLIP HOOK

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
(nominal size)					(lb)	(lb)
S0454-0007	1/4"	0.53"	0.68"	2.54"	1,000	0.30
S0454-0008	5/16"	0.65"	0.75"	3.00"	1,500	0.54
S0454-0010	3/8"	0.71"	0.80"	3.28"	2,000	1.04
S0454-0013	1/2"	0.94"	1.02"	4.17"	3,000	1.87

**NOTE:**  
MEETS ASME B30.10-2010. WORKING LOADS ARE BASED ON GRADUAL PULL, NOT SHOCK LOADS. FOR CHAIN SLING ASSEMBLIES, SEE PAGE 15. FOR COMPATIBLE LATCH KIT (REPLACEMENT LATCH, SPRING AND PIN) Z0454 SERIES SEE PAGE 59.

## EYE SLIP HOOK - LARGE

316 STAINLESS STEEL



ITEM	A	B	C	D	E	F	G	WLL	WT
(nominal size)								(lb)	(lb)
S0454-0016	5/8"	1.25"	1.99"	9.51"	6.52"	0.82"	1.56"	8,000	7.10
S0454-0020	3/4"	1.50"	2.50"	11.41"	7.82"	0.98"	1.88"	12,000	12.10
S0454-0025	1"	2.00"	3.21"	15.21"	10.42"	1.31"	2.50"	20,000	29.20

**NOTE:**  
MEETS ASME B30.10-2010. WORKING LOADS ARE BASED ON GRADUAL PULL, NOT SHOCK LOADS. "I" BEAM DESIGN INCREASES LOAD BEARING SURFACE. FOR CHAIN SLING ASSEMBLIES, SEE PAGE 15. FOR COMPATIBLE LATCH KIT (REPLACEMENT LATCH, SPRING AND PIN) Z0454 SERIES SEE PAGE 59.

LIMITED LIFETIME  
WARRANTY

 **SUNCOR STAINLESS®**


TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

## SWIVEL EYE HOOK



316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
	(nominal size)					(lb)	(lb)
S0455-0100	4"	1/4"	0.86"	0.69"	4.65"	770	0.40
S0455-0120	5"	5/16"	1.09"	0.75"	5.54"	1,430	0.70
S0455-0150	6"	3/8"	1.10"	0.90"	6.36"	2,200	1.15
S0455-0200	8"	1/2"	1.41"	1.15"	7.80"	3,300	2.30

**NOTE:**  
**LIGHT DUTY SWIVEL HOOK. HEAVY DUTY IS S0457 SERIES BELOW.**  
**WORKING LOADS ARE BASED ON GRADUAL PULL, NOT SHOCK LOADS.**  
**INCLUDES REMOVABLE LATCH. STAMPED WITH SIZE AND WORKING LOAD.**  
**FOR COMPATIBLE LATCH KIT (REPLACEMENT LATCH, SPRING AND PIN)**  
**Z0455 SERIES SEE PAGE 59.**

## SWIVEL EYE HOOK



316-NM STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(nominal size)				(lb)	(lb)
S0457-0140	1.24"	0.84"	5.58"	0.40"	1,000	0.88
S0457-0170	1.47"	0.88"	6.52"	0.53"	1,500	1.44
S0457-0180	1.70"	0.94"	7.65"	0.65"	2,000	2.28
S0457-0210	1.69"	1.07"	8.12"	0.64"	2,500	2.60

**NOTE:**  
**MEETS ASME B30.10-2010. HEAVY DUTY SWIVEL HOOK WITH DROP FORGED COMPONENTS. LOAD RATED. INCLUDES REMOVABLE SAFETY LATCH.**

## SHANK HOOK



316-NM STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(nominal size)				(lb)	(lb)
S0456-0100	1/2"	0.84"	5.06"	2.00"	1,000	0.66
S0456-0120	5/8"	0.88"	5.53"	2.25"	1,500	0.90
S0456-0150	3/4"	0.94"	6.25"	2.50"	2,000	1.34
S0456-0200	7/8"	1.07"	6.90"	2.75"	2,500	1.86

**NOTE:**  
**MEETS ASME B30.10-2010. LOAD RATED. HEAVY DUTY SHANK HOOK.**  
**INCLUDES REMOVABLE SAFETY LATCH. CUSTOM THREADS AVAILABLE IN UNF, UNC AND METRIC.**

## THREADED SHANK HOOK



316-NM STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(thread size)				(lb)	(lb)
S0458-0100	1/2" - 13	0.84"	5.06"	2.00"	1,000	0.66
S0458-0120	5/8" - 11	0.88"	5.53"	2.25"	1,500	0.90
S0458-0150	3/4" - 10	0.94"	6.25"	2.50"	2,000	1.34
S0458-0200	7/8" - 9	1.07"	6.90"	2.75"	2,500	1.86

**NOTE:**  
**MEETS ASME B30.10-2010. LOAD RATED. HEAVY DUTY SHANK HOOK.**  
**INCLUDES REMOVABLE SAFETY LATCH. STANDARD UNC THREADS.**

## EYE HOOK



316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(nominal size)				(lb)	(lb)
S0194-0001	3/4"	0.66"	3.90"	1.88"	300	0.27
S0194-0002	1-1/8"	0.77"	4.62"	2.10"	350	0.39

**NOTE:**  
**WORKING LOADS ARE BASED ON GRADUAL PULL, NOT SHOCK LOADS.**  
**INCLUDES REMOVABLE SAFETY LATCH.**



Key:





ORDERS ONLY: 800-394-2222  
 (USA+CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
 © 2020 Suncor Stainless, Inc.

## LATCH KIT (REPLACEMENT LATCH, SPRING AND PIN)

316 STAINLESS STEEL




ITEM	HOOK SIZE	A	B	C	WT
Z0454-L007	1/4"	0.76"	0.51"	0.15"	0.01
Z0454-L008	5/16"	1.12"	0.61"	0.15"	0.01
Z0454-L010	3/8"	1.21"	0.62"	0.15"	0.02
Z0454-L013	1/2"	1.53"	0.62"	0.15"	0.04
Z0454-L016	5/8"	2.33"	0.82"	0.19"	0.06
Z0454-L020	3/4"	2.75"	0.95"	0.23"	0.10
Z0454-L025	1"	3.81"	1.21"	0.30"	0.16

**NOTE:** INCLUDES REPLACEMENT LATCH, SPRING AND PIN. COMPATIBLE WITH S0454 SERIES EYE SLIP HOOKS. STYLES MAY VARY BY SIZE.

## LATCH KIT (REPLACEMENT LATCH, SPRING AND PIN)

316 STAINLESS STEEL




ITEM	HOOK SIZE	A	B	C	WT
Z0455-L100	4"	0.88"	0.45"	0.15"	0.01
Z0455-L120	5"	0.88"	0.45"	0.15"	0.02
Z0455-L150	6"	1.21"	0.61"	0.15"	0.02
Z0455-L200	8"	1.52"	0.62"	0.15"	0.03

**NOTE:** INCLUDES REPLACEMENT LATCH, SPRING AND PIN. COMPATIBLE WITH S0455 SERIES SWIVEL EYE HOOKS. STYLES MAY VARY BY SIZE.

## ASYMMETRICAL CLIP

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
<b>SPRING CLIP</b>					
S0140-0080	3"	0.60"	0.31"	700	0.16
S0140-0100	4"	0.75"	0.40"	1,350	0.31
<b>WIRE LEVER CLIP</b>					
S0141-0080	3"	0.62"	0.31"	700	0.15
S0141-0100	4"	0.75"	0.40"	1,350	0.29

**NOTE: EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD.**  
**S0140-SERIES MARKED IN KILONEWTONS**  
 CONVERSION: KN X 224.8 = LB.  
**S0141-SERIES MARKED IN KILOGRAMS**  
 CONVERSION: KG X 2.2 = LB.

## WIDE ASYMMETRICAL CLIP

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0195-0100	3/8"	0.60"	4.00"	400	0.30
S0195-0120	7/16"	0.74"	4.75"	540	0.43

**NOTE:** ALSO AVAILABLE WITH EYE ON SPECIAL ORDER.  
**BULK ORDERS OF OTHER SIZES MAY BE PLACED ON SPECIAL ORDER.**

## SCREW/KEY LOCK SPRING CLIP

316 STAINLESS STEEL  
WITH EYE



ITEM	A	B	C	D	E	WLL	WT
	(size)	(ID)				(lb)	(lb)
<b>SCREW LOCK SPRING CLIP</b>							
S0181-0060	1/4"	0.25"	2.38"	0.31"	0.23"	250	0.07
S0181-0080	5/16"	0.40"	3.13"	0.37"	0.37"	400	0.16
S0181-0100	3/8"	0.48"	4.00"	0.45"	0.46"	600	0.30
S0181-0120	7/16"	0.61"	4.63"	0.59"	0.55"	800	0.44
S0181-0140	15/32"	0.83"	5.55"	0.83"	0.63"	1,000	0.61
<b>KEY LOCK SPRING CLIP</b>							
S0181-K100	3/8"	0.44"	4.00"	0.51"	0.42"	800	0.32
S0181-K120	7/16"	0.59"	5.00"	0.61"	0.57"	1,000	0.46



**LIMITED LIFETIME WARRANTY**


**SUNCOR STAINLESS®**

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

## SCREW LOCK SPRING CLIP

316 STAINLESS STEEL




ITEM	A (size)	B (ID)	C	D	E	WLL (lb)	WT (lb)
S0181-X060	1/4"	0.25"	2.38"	0.31"	0.23"	250	0.07
S0181-X080	5/16"	0.40"	3.13"	0.37"	0.37"	400	0.16
S0181-X100	3/8"	0.48"	4.00"	0.45"	0.46"	600	0.30
S0181-X120	7/16"	0.61"	4.63"	0.59"	0.55"	800	0.44
S0181-X140	15/32"	0.83"	5.55"	0.83"	0.63"	1,000	0.61

**NOTE:**  
SCREW LOCK NUT PREVENTS ACCIDENTAL OPENING. COMMERCIAL GRADE.

## MOORING HOOK OR KIT

316 STAINLESS STEEL



ITEM	A	B	C	D	WT (lb)
------	---	---	---	---	------------

<b>HOLDER</b>					
S0182-0000	2.56"	1.76"	1.09"	0.69"	0.16
<b>KIT - MOORING HOOK W/ HOLDER</b>					
S0182-K100-C	4" S0184-0100 CLIP WITH HOLDER ON A DISPLAY CARD				0.46
S0182-K120-C	5" S0172-S120 CLIP WITH HOLDER ON A DISPLAY CARD				0.68


**NOTE:**  
THIS HOLDER WILL ALLOW THE SPRING CLIP TO STAY OPEN IN ORDER TO ATTACH LINE TO MOORING.

**SPECIFICATIONS FOR EACH CLIP (S0184-0100 & S0172-S120) IN EACH KIT, ARE LISTED ON PAGE 61.**



## SPRING CLIP

316 STAINLESS STEEL




ITEM	A (size)	B (ID)	C	D	E	WLL (lb)	WT (lb)
------	-------------	-----------	---	---	---	-------------	------------

S0120-0050	3/16"	0.32"	2.00"	0.25"	0.24"	120	0.04
S0120-0060	1/4"	0.36"	2.38"	0.27"	0.27"	170	0.06
S0120-0070	9/32"	0.45"	2.75"	0.34"	0.37"	200	0.10
S0120-0080	5/16"	0.48"	3.13"	0.38"	0.37"	280	0.15
S0120-0100	3/8"	0.63"	3.88"	0.54"	0.47"	400	0.28
S0120-0120	7/16"	0.75"	4.63"	0.65"	0.55"	540	0.41
S0120-0140	15/32"	0.87"	5.50"	0.80"	0.60"	740	0.58
S0120-0160	1/2"	0.90"	6.25"	0.95"	0.61"	900	0.79

**NOTE:**  
EACH CLIP IS STAMPED WITH "316" AND WLL (LB). COMMERCIAL GRADE.

## SPRING CLIP (KEY LOCK)

316 STAINLESS STEEL




ITEM	A (size)	B (ID)	C	D	E	WLL (lb)	WT (lb)
------	-------------	-----------	---	---	---	-------------	------------

S0120-K050	3/16"	0.31"	2.00"	0.29"	0.20"	200	0.04
S0120-K060	1/4"	0.35"	2.38"	0.37"	0.21"	250	0.07
S0120-K070	9/32"	0.46"	2.88"	0.40"	0.33"	300	0.10
S0120-K080	5/16"	0.44"	3.25"	0.43"	0.33"	400	0.16
S0120-K100	3/8"	0.55"	4.00"	0.60"	0.40"	600	0.30
S0120-K120	7/16"	0.69"	4.75"	0.70"	0.57"	800	0.43
S0120-K160	1/2"	0.87"	6.38"	1.18"	0.75"	1,000	0.78

**NOTE:**  
KEY LOCK MECHANISM. EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD. CLIPS S0120-K050 - S0120-K070 ARE MARKED IN KILOGRAMS (CONVERSION: KGX2.2=LB), WHILE S0120-K080 - S0120-K160 ARE MARKED IN KILONEWTONS (CONVERSION: KN X 224.8 = LB).

## SPRING CLIP WITH EYE

316 STAINLESS STEEL




ITEM	A (size)	B (ID)	C	D	WLL (lb)	WT (lb)
------	-------------	-----------	---	---	-------------	------------

S0121-0050	3/16"	0.25"	2.00"	0.25"	120	0.04
S0121-0060	1/4"	0.30"	2.38"	0.27"	150	0.06
S0121-0070	9/32"	0.32"	2.75"	0.34"	200	0.10
S0121-0080	5/16"	0.40"	3.13"	0.38"	280	0.15
S0121-0100	3/8"	0.50"	3.88"	0.54"	400	0.28
S0121-0120	7/16"	0.60"	4.71"	0.65"	500	0.41
S0121-0140	15/32"	0.80"	5.50"	0.80"	750	0.58
S0121-0160	1/2"	0.87"	6.25"	0.95"	900	0.79

**NOTE:**  
EACH CLIP IS STAMPED WITH "316" AND WLL (LB). COMMERCIAL GRADE.



Key:




ORDERS ONLY: 800-394-2222 (USA+CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc. © 2020 Suncor Stainless, Inc.

## SPRING CLIP with EYE (KEY LOCK)

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)	(ID)			(lb)	(lb)
S0121-K050	3/16"	0.24"	2.00"	0.29"	200	0.04
S0121-K060	1/4"	0.27"	2.38"	0.37"	250	0.07
S0121-K070	9/32"	0.35"	2.88"	0.40"	300	0.10
S0121-K080	5/16"	0.39"	3.25"	0.43"	400	0.16
S0121-K100	3/8"	0.45"	4.00"	0.66"	600	0.30
S0121-K120	7/16"	0.59"	4.75"	0.70"	800	0.43
S0121-K160	1/2"	0.87"	6.38"	1.18"	1,000	0.78

**NOTE:**  
**KEY LOCK MECHANISM. EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD. CLIPS S0121-K050 - S0121-K070 ARE MARKED IN KILOGRAMS (CONVERSION: KGX2.2=LB), WHILE S0121-K080 - S0121-K160 ARE MARKED IN KILONEWTONS (CONVERSION: KN X 224.8 = LB).**

## SPRING CLIP (SPECIAL GATE)

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)	(ID)			(lb)	(lb)

<b>WITHOUT EYELET:</b>						
S0142-0080	5/16"	0.45"	3.25"	0.54"	500	0.16
S0142-0100	3/8"	0.56"	4.00"	0.62"	700	0.30
S0142-0120	7/16"	0.70"	4.75"	0.85"	1,000	0.43
<b>WITH EYELET:</b>						
S0143-0080	5/16"	0.39"	3.25"	0.54"	500	0.16
S0143-0100	3/8"	0.45"	4.00"	0.62"	700	0.30
S0143-0120	7/16"	0.58"	4.75"	0.85"	1,000	0.43

**NOTE:**  
**EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILOGRAMS. CONVERSION: KG X 2.2 = LB.**

## HARNESS CLIP (WIRE LEVER)

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)	(ID)			(lb)	(lb)

S0184-0060	1/4"	0.32"	2.38"	0.46"	260	0.06
S0184-0080	5/16"	0.52"	3.25"	0.62"	650	0.15
S0184-0100	3/8"	0.66"	4.00"	0.96"	1,000	0.30
S0184-0120	1/2"	0.86"	5.00"	1.12"	1,500	0.62


**NOTE:**  
**FORGED END. STAMPED WITH WORKING LOAD (LB). BREAKING LOAD IS 5 TIMES THE WORK LOAD SHOWN.**

**FEATURES LONG LASTING TORSION SPRING GATE.**



## HARNESS CLIP (WIRE LEVER)

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)	(ID)			(lb)	(lb)

S0172-0060	1/4"	0.31"	2.38"	0.43"	260	0.07
S0172-0080	5/16"	0.52"	3.25"	0.62"	750	0.16
S0172-0100	3/8"	0.67"	4.00"	0.69"	1,200	0.30
S0172-0120	1/2"	0.85"	5.00"	0.90"	2,000	0.52

**STRAIGHT BACK VERSION**

S0172-S120	1/2"	0.85"	5.00"	0.90"	2,000	0.52
------------	------	-------	-------	-------	-------	------




**NOTE:**  
**FORGED END. STAMPED WITH WORKING LOAD. FEATURES LONG LASTING TORSION SPRING GATE.**



## HARNESS CLIP (POLY GRIP)

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)

S0184-N100	4"	0.66"	0.96"	0.39"	1,000	0.31
S0184-N120	5"	0.86"	1.00"	0.50"	1,500	0.64

**NOTE:**  
**FORGED END. STAMPED WITH WORKING LOAD (LB). BREAKING LOAD IS 5 TIMES THE WORK LOAD SHOWN. FEATURES LONG LASTING TORSION SPRING GATE.**

**POLYURETHANE GRIPS ALLOW FOR SUPERIOR HANDLING. IN SAFETY ORANGE.**



**LIMITED LIFETIME WARRANTY**

**SUNCOR STAINLESS®**

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222


www.suncorstainless.com

# HOOKS & CLIPS

HOOKS & CLIPS

## HARNESS CLIP WITH D RING


316 STAINLESS STEEL



ITEM	A	B	C	D	E	WLL	WT
	(size)					(lb)	(lb)
S0223-8025	3-1/4"	0.52"	0.69"	0.31"	1.00"	650	0.20


**NOTE:**  
"D" RING IS FORGED.

**SEE RATCHET BUCKLES AND OUR LINE OF WEBBING/TIE-DOWN HARDWARE STARTING ON PAGE 102.**




## KEY RING

304 STAINLESS STEEL




ITEM	A	B	C	WT
	(size)			(lb)
S0185-KR01	0.08"	1.00"	0.15"	0.01
S0185-KR02	0.05"	0.50"	0.08"	0.01
S0185-KR03	0.07"	0.75"	0.12"	0.01

**NOTE:**  
304 STAINLESS STEEL WITH NICKEL PLATING.  
MINIMUM PURCHASE OF 100.



## SPRING CLIP WITH KEY RING



316 STAINLESS STEEL



ITEM	A	B	C	D	WT
	(size)				(lb)
S0185-KR60	2-3/8"	1.00"	0.50"	0.23"	0.07


**NOTE:**  
THE ENDS OF THE CLIP ARE FORGED.  
THE 1 INCH KEY RING IS FORMED FROM STAINLESS, THEN NICKEL PLATED FOR SUPERIOR FINISH.

**POP DISPLAY HOLDS 100 CLIPS:**  
C0185-KR60BX


## SNUBBER HOOK

316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	E	WT
	(chain)						(lb)
S0191-0007	1/4"	0.35"	0.75"	2.00"	0.38"	6.25"	0.65
S0191-0008	5/16"	0.38"	0.88"	2.25"	0.44"	7.13"	0.98
S0191-0010	3/8"	0.45"	1.00"	2.50"	0.50"	7.88"	1.38

**NOTE:**  
DESIGNED TO FIT STANDARD ANCHOR CHAIN STYLES. DEEP CHANNEL PREVENTS CHAIN FROM FALLING OFF, BUT ALLOWS FOR EASY REMOVAL. MADE FROM MARINE GRADE 316 STAINLESS STEEL.




## MINI CLIP (WIRE LEVER)

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0185-0035	1-3/8"	0.23"	0.20"	0.16"	65	0.02

**NOTE:**  
USE ANYWHERE A SMALL CLIP IS NEEDED. USE FOR CAMERAS, FLASHLIGHTS AND MORE. WIRE LEVER IS DURABLE FOR YEARS OF RELIABILITY. HIGHLY POLISHED FINISH. THE SMALLEST HIGH QUALITY STAINLESS CLIP AVAILABLE.




Key:


 Made in USA	 Drop Forged	 Precision Machined	 Wire Formed	 Suncor Exclusive
 Import	 Precision Cast	 Stamped	 Load Rated	 New Product

ORDERS ONLY: 800-394-2222 (USA+CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc. © 2020 Suncor Stainless, Inc.

## SPRING GATE SNAP


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0161-0050	2"	0.38"	0.40"	0.25"	150	0.05
S0161-0070	2-3/4"	0.42"	0.61"	0.39"	350	0.13
S0161-0100	3-3/4"	0.55"	0.87"	0.59"	500	0.32

## TRIGGER SNAP "D" BAIL


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0192-0001	5/8"	2.43"	0.23"	0.43"	200	0.12
S0192-0002	3/4"	2.50"	0.23"	0.43"	200	0.12
S0192-0003	1"	2.65"	0.22"	0.43"	200	0.13

## TRIGGER SNAP EYE BAIL


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0193-0001	1/2"	2.62"	0.15"	0.43"	200	0.11
S0193-0002	5/8"	2.65"	0.20"	0.43"	200	0.11

## SWIVEL EYE SNAP


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0174-0001	5/8"	3.37"	0.20"	0.40"	100	0.14
S0174-0002	3/4"	3.87"	0.24"	0.47"	200	0.22
S0174-0003	7/8"	4.62"	0.27"	0.51"	300	0.35

## FIXED EYE SNAP

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0175-0000	3/8"	2.10"	0.15"	0.22"	100	0.05
S0175-0001	5/8"	2.71"	0.19"	0.37"	200	0.10
S0175-0002	3/4"	3.12"	0.20"	0.50"	250	0.13
S0175-0003	3/4"	3.75"	0.28"	0.60"	300	0.24

**LIMITED LIFETIME WARRANTY**

 **SUNCOR STAINLESS®**


TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com



## SWIVEL BOLT SNAP


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0176-0000	3/8"	2.73"	0.32"	0.28"	100	0.06
S0176-0001	1/2"	3.16"	0.36"	0.37"	200	0.09
S0176-0002	5/8"	3.44"	0.43"	0.36"	250	0.11
S0176-0003	3/4"	3.60"	0.43"	0.36"	300	0.12
S0176-0004	1-1/4"	4.90"	0.48"	0.53"	350	0.20

## DOUBLE BOLT SNAP

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0176-0900	3-5/8"	0.50"	0.33"	100	0.09
S0176-1000	4"	0.37"	0.43"	200	0.15
S0176-1200	4-3/4"	0.48"	0.47"	250	0.19

**NOTE:**  
ALLOWS EASY CONNECTION AND DISCONNECTION AT EITHER END.

## U.S. NAVY BOLT SNAP

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0177-USN6	6-1/2"	0.63"	0.93"	0.72"	1,000	1.06

**NOTE:**  
BUREAU OF SHIPS NUMBER: S8101A,464,418  
PRODUCT IS USUALLY ATTACHED TO CHAIN WITH OPEN END, WHICH IS THEN BENT CLOSED.


## FIXED SNAP SHACKLE

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0158-0001	2"	0.42"	0.56"	1,000	0.10
S0158-0002	2-5/8"	0.51"	0.75"	1,500	0.21
S0158-0003	4"	0.68"	1.10"	2,000	0.49

**UNIVERSAL LANYARD**  
S0157-T000-C



## JAW SWIVEL SNAP SHACKLE


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0170-0001	2-3/4"	0.57"	0.54"	0.24"	800	0.14
S0170-0002	3-1/2"	0.75"	0.60"	0.27"	1,200	0.27
S0170-0003	5"	1.05"	0.87"	0.48"	1,800	0.88

**NOTE:**  
STAMPED BAIL. REMOVABLE JAW PIN.

**UNIVERSAL LANYARD**  
S0157-T000-C




ORDERS ONLY: 800-394-2222  
(USA+CANADA)

Key:



Made in USA



Drop Forged



Precision Machined



Wire Formed



Suncor Exclusive



Import



Precision Cast



Stamped




Load Rated



New Product

## JAW SWIVEL SNAP SHACKLE

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0171-0001	2-3/4"	0.57"	0.52"	0.23"	1,000	0.17
S0171-0002	3-1/2"	0.75"	0.54"	0.31"	1,500	0.36
S0171-0003	5"	1.05"	0.82"	0.38"	2,000	0.95


**NOTE:**  
REMOVABLE CLEVIS PIN.

**UNIVERSAL LANYARD**  
S0157-T000-C



## SWIVEL SNAP SHACKLE

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0157-0001	2-3/4"	0.50"	0.57"	1,000	0.13
S0157-0002	3-1/2"	0.62"	0.75"	1,500	0.28
S0157-0003	4-3/4"	1.14"	1.05"	2,000	0.67

**UNIVERSAL LANYARD**  
S0157-T000-C



## HEAVY DUTY SWIVEL SNAP SHACKLE

17-4 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0157-HD02	3-5/8"	0.65"	0.78"	1,500	0.25

**UNIVERSAL LANYARD**  
S0157-T000-C



## ROPE SNAP SHACKLE

316 STAINLESS STEEL




ITEM	A	B	C	D	WT
	(size)				(lb)
S0159-0001	2"	0.55"	0.42"	1.05"	0.12
S0159-0002	2-5/8"	0.68"	0.57"	1.25"	0.22
S0159-0003	3-3/4"	1.05"	0.88"	1.95"	0.70

**UNIVERSAL LANYARD**  
S0157-T000-C



## XL CLIP - SCREW LOCK

ALUMINUM W/  
ALUMINUM LOCK



ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
A0149-0013	1/2"	1.06"	4.50"	2,200	0.20

**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS.  
**CONVERSION: KN X 224.8 = LB.**  
BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.

**LIMITED LIFETIME  
WARRANTY**


**SUNCOR STAINLESS®**

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

## XL CLIP - SCREW LOCK

**316 STAINLESS STEEL  
W/ STAINLESS LOCK**




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0149-0013	1/2"	1.06"	4.50"	2,500	0.56

**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS.  
CONVERSION: KN X 224.8 = LB.  
BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.

## XL CLIP - SCREW LOCK

**BLACK COATED CARBON  
STEEL W/ BRASS LOCK**




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
Z0149-0013	1/2"	1.06"	4.50"	3,500	0.56

**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS.  
CONVERSION: KN X 224.8 = LB.  
BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.

## EXT CLIP - SLIDE LOCK


**316 STAINLESS STEEL  
W/ STAINLESS LOCK**



ITEM	A	B	C	D	E	WLL	WT
	(size)					(lb)	(lb)
S0145-0008	5/16"	0.46"	3.16"	0.99"	0.40"	600	0.16
S0145-0010	3/8"	0.59"	3.95"	1.29"	0.44"	900	0.31

**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS.  
CONVERSION: KN X 224.8 = LB.  
BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.


## HARNESS CLIP - AUTO LOCK



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
<b>ALUMINUM (W/ ALUMINUM LOCK)</b>						
A0146-0012	7/16"	0.70"	4.91"	0.84"	1,600	0.18
<b>316 STAINLESS STEEL (W/ STAINLESS STEEL LOCK)</b>						
S0146-0012	7/16"	0.70"	4.91"	0.84"	2,000	0.46
<b>ZINC-PLATED CARBON STEEL (W/ BRONZE LOCK)</b>						
Z0146-0012	7/16"	0.70"	4.91"	0.84"	1,600	0.46

**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS. BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.

## XL CLIP - AUTO LOCK



ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
<b>ALUMINUM (W/ ALUMINUM LOCK)</b>					
A0147-0013	1/2"	1.06"	4.50"	2,200	0.20
<b>316 STAINLESS STEEL (W/ NICKEL BRONZE LOCK)</b>					
S0147-0013	1/2"	1.06"	4.50"	2,500	0.50
<b>BLACK COATED CARBON STEEL (W/ BRONZE LOCK)</b>					
Z0147-0013	1/2"	1.06"	4.50"	3,500	0.50

**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS. BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.



ORDERS ONLY: 800-394-2222  
(USA+CANADA)

Key:



Made in USA



Drop Forged



Precision Machined



Wire Formed



Suncor Exclusive



Import



Precision Cast



Stamped



Load Rated




New Product

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
© 2020 Suncor Stainless, Inc.

## HARNES CLIP - SCREW LOCK

ALUMINUM



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
<b>W/ BRASS LOCK</b>						
A0148-0008	5/16"	0.47"	3.40"	0.66"	400	0.06
<b>W/ ALUMINUM LOCK</b>						
A0148-0010	3/8"	0.52"	4.06"	0.67"	1,200	0.12
A0148-0012	7/16"	0.70"	4.92"	0.91"	1,600	0.18


**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS.

**CONVERSION: KN X 224.8 = LB.**

**BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.**

## HARNES CLIP - SCREW LOCK

316 STAINLESS STEEL  
W/ STAINLESS LOCK



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0148-0008	5/16"	0.47"	3.40"	0.66"	1,000	0.18
S0148-0010	3/8"	0.52"	4.06"	0.67"	1,500	0.34
S0148-0012	7/16"	0.70"	4.92"	0.91"	2,000	0.50


**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS.

**CONVERSION: KN X 224.8 = LB.**

**BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.**

## HARNES CLIP - SCREW LOCK

ZINC-PLATED CARBON STEEL  
W/ BRASS LOCK



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
Z0148-0008	5/16"	0.47"	3.40"	0.66"	600	0.18
Z0148-0010	3/8"	0.52"	4.06"	0.67"	1,200	0.34
Z0148-0012	7/16"	0.70"	4.92"	0.91"	1,600	0.50


**NOTE:**  
EACH CLIP IS PROOF TESTED AND STAMPED WITH THE BREAK LOAD IN KILONEWTONS.

**CONVERSION: KN X 224.8 = LB.**

**BREAK LOAD IS APPROXIMATELY 3 TIMES THE WORK LOAD LIMIT.**

## PELICAN HOOK WITH SLIDE

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0180-0100	4"	0.39"	0.75"	200	0.22
S0180-0150	5-3/4"	0.51"	0.92"	300	0.56

**NOTE:**  
PELICAN HOOK # S0162 IS FEATURED ON PAGE 32.

## HOG RING AND SHOCKCORD

304 STAINLESS STEEL



ITEM	A	B	C	WT
	(size)			(lb)
<b>HOG RINGS:</b>				
S0183-0005	3/16"	0.38"	0.08"	0.19/100
S0183-0007	1/4"	0.51"	0.08"	0.20/100
S0183-0008	5/16"	0.62"	0.08"	0.21/100
S0183-0010	3/8"	0.74"	0.08"	0.23/100
S0183-0013	1/2"	0.87"	0.08"	0.24/100
<b>SHOCK CORD ENDS:</b>				
S0183-SC05	3/16"	0.62"	1.50"	0.02
S0183-SC07	1/4"	0.62"	1.50"	0.03
S0183-SC08	5/16"	0.88"	1.77"	0.04
S0183-SC10	3/8"	0.94"	1.84"	0.05
S0183-SC13	1/2"	1.14"	2.68"	0.06

LIMITED LIFETIME  
WARRANTY


**SUNCOR STAINLESS®**

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

## DOWNHAUL HOOK

316 STAINLESS STEEL




ITEM	A	B	C	D	WT
	(size)				(lb)
S0179-H008	5/16"	0.50"	2.47"	1.40"	0.12
S0179-H010	3/8"	0.50"	3.50"	2.05"	0.25

**NOTE:**  
CAN BE USED IN SAILING APPLICATIONS OR AS CARGO LASHING HOOK.

## REEFING HOOK

316 STAINLESS STEEL




ITEM	A	B	C	D	WT
	(size)				(lb)
S0179-R008	5/16"	0.24"	3.50"	1.30"	0.16
S0179-R010	3/8"	0.24"	4.15"	1.84"	0.31

**NOTE:**  
ATTACHMENT END IS FORGED FLAT FOR EASY INSTALLATION.

REFERENCE "FASTENER MATCHING CHART" (PAGE 164)  
FOR COMPATIBLE FASTENERS.

## TACK HOOK

316 STAINLESS STEEL




ITEM	A	B	C	D	WT
	(size)				(lb)
S0179-T008	5/16"	0.24"	3.12"	1.48"	0.10
S0179-T010	3/8"	0.24"	3.56"	1.90"	0.18

**NOTE:**  
CAN BE USED IN SAILING APPLICATIONS OR AS CARGO LASHING HOOK. ATTACHMENT END IS FORGED FLAT FOR EASY INSTALLATION.

REFERENCE "FASTENER MATCHING CHART" (PAGE 164)  
FOR COMPATIBLE FASTENERS.

## CUNNINGHAM HOOK


316 STAINLESS STEEL



ITEM	A	B	C	D	WT
	(size)				(lb)
S0179-CH07	1/4"	0.42"	2.45"	1.72"	0.07
S0179-CH08	5/16"	0.62"	3.80"	2.42"	0.19

## DOUBLE "J" WEB HOOK

304 STAINLESS STEEL




ITEM	SIZE	A	B	C	WLL	WT
					(lb)	(lb)
S0211-0025	1"	0.78"	0.27"	2.35"	400	0.15
S0211-0038	1-1/2"	0.78"	0.38"	3.44"	1,000	0.40
S0211-0050	2"	0.78"	0.38"	3.44"	1,500	0.41

**NOTE:**  
SEE RATCHET BUCKLES AND OUR LINE OF WEBBING/TIE-DOWN HARDWARE STARTING ON PAGE 102.



ORDERS ONLY: 800-394-2222  
(USA+CANADA)


Key:



All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
© 2020 Suncor Stainless, Inc.

## WELDED "S" WEB HOOK

316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
						(lb)	(lb)
S0212-0025	1"	0.25"	3.50"	1.00"	1.00"	200	0.12
S0212-0038	1-1/2"	0.31"	4.50"	1.50"	1.50"	300	0.22
S0212-0050	2"	0.38"	6.18"	2.00"	2.00"	400	0.46

**NOTE:**  
**QUALITY "S" HOOK IS WELDED TO PREVENT WEBBING FROM SLIPPING THROUGH. BULK ORDERS OF OTHER SIZES OR TYPES MAY BE PLACED ON SPECIAL ORDER.**

**SEE RATCHET BUCKLES AND OUR LINE OF WEBBING/TIE-DOWN HARDWARE STARTING ON PAGE 102.**

## "S" HOOK

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0178-0003	1/8"	1.38"	0.20"	0.42"	50	0.01
S0178-0004	5/32"	1.59"	0.20"	0.51"	80	0.02
S0178-0005	3/16"	1.90"	0.29"	0.63"	120	0.04
S0178-0006	1/4"	2.25"	0.32"	0.70"	200	0.06
S0178-0008	5/16"	2.58"	0.46"	0.75"	350	0.12

**NOTE:**  
**BULK ORDERS OF OTHER SIZES OR TYPES MAY BE PLACED ON SPECIAL ORDER.**

## "U" HOOK


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0179-0006	1/4"	2.15"	0.42"	0.35"	300	0.06
S0179-0008	5/16"	2.95"	0.65"	0.62"	400	0.14
S0179-0010	3/8"	3.35"	0.75"	0.67"	500	0.26

## JIB HANK


BRONZE



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
B0169-0000	1-1/2"	0.23"	0.40"	0.25"	75	0.05
B0169-0001	2-1/4"	0.50"	0.83"	0.43"	100	0.10
B0169-0002	2-1/2"	0.63"	0.90"	0.43"	125	0.15
B0169-0003	3"	0.67"	0.97"	0.43"	135	0.20

## SWIVEL EYE SNAP

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0166-0003	3/4"	0.31"	2.87"	0.16"	130	0.07

**NOTE:**  
**SEE RATCHET BUCKLES AND OUR LINE OF WEBBING/TIE-DOWN HARDWARE BEGINNING ON PAGE 102.**

**LIMITED LIFETIME WARRANTY**


 **SUNCOR STAINLESS®**

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

## CHAIN SWIVEL SNAP

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0645-0005	5/32 - 3/16"	0.21"	0.32"	2.57"	130	0.07

**NOTE:**  
STANDARD OR LONG LINK CHAIN, UP TO 3/16" (WIRE) SIZE, CAN BE ATTACHED TO CLIP. USE CLIP AT THE END OF TWIST LINK CHAIN FOR A DOG LEASH OR AT THE END OF A KILL CORD FOR WATERCRAFTS.



## SWIVEL WEB CLIP

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0221-0025	1"	0.63"	0.32"	2.56"	130	0.07
S0221-0038	1-1/2"	0.63"	0.32"	2.63"	130	0.08
S0221-0050	2"	0.63"	0.32"	2.71"	130	0.10


**NOTE:**  
"SLIMLINE" BAIL FOR WEBBING; SPECIAL TORSION SPRING GATE FOR LONGER LIFE. IDEAL FOR BIMINI TOPS AND HOLD DOWN STRAPS.

SEE RATCHET BUCKLES AND OUR LINE OF WEBBING/TIE-DOWN HARDWARE STARTING ON PAGE 102.



## FIXED BIMINI CLIP

304 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0220-0025	1"	0.23"	0.20"	1.94"	70	0.03

**NOTE:**  
IDEAL FOR BIMINI TOPS AND HOLD DOWN STRAPS. SEE RATCHET BUCKLES AND OUR LINE OF WEBBING/TIE-DOWN HARDWARE STARTING ON PAGE 102.



ORDERS ONLY: 800-394-2222  
(USA+CANADA)

Key:



All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
© 2020 Suncor Stainless, Inc.