

SUNCOR STAINLESS, INC.

PAD EYES




 **SUNCOR**[®]
Stainless

HEAVY DUTY SQUARE PAD EYE





316 STAINLESS STEEL



ITEM	SIZE	A	B	C	D	WLL	WT	
						(lb)	(lb)	
S3704-0000	3"	0.94"	2.00"	2.00"	0.25"	3,000	0.66	
HD SQUARE BACKING PLATE (304 STAINLESS STEEL)								
S3704-0001	3"	1/4"	2.00"	2.00"	0.10"	N/A	0.28	

NOTE:
HEAVY DUTY, ONE PIECE PRECISION CASTING, WITHOUT WELDS. FOR MAXIMUM LOAD DISTRIBUTION USE HD BACKPLATE. USE 1/4" FASTENERS.


REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



HEAVY DUTY DIAMOND PAD EYE




316 STAINLESS STEEL



ITEM	SIZE	A	B	C	D	WLL	FAST.	WT
	(length)					(lb)		(lb)
S3702-0000	3-1/4"	0.76"	2.37"	1.23"	0.26"	2,000	1/4"	0.30
S3703-0000	4"	1.00"	3.00"	1.56"	0.28"	3,000	5/16"	0.49
HD DIAMOND BACKING PLATE (STAINLESS STEEL)								
S3702-BP00	3-1/4"	1/4"	2.37"	1.23"	0.08"			0.11
S3703-0001	4"	5/16"	3.00"	1.56"	0.06"			0.17

NOTE:
HEAVY DUTY, ONE PIECE PRECISION CASTING, WITHOUT WELDS. FOR MAXIMUM LOAD DISTRIBUTION USE HD BACKPLATE.


REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



STAMPED DIAMOND PAD EYE




304 STAINLESS STEEL



ITEM	SIZE	A	B	C	D	FAST.	WT	
	(length)						(lb)	
S3703-1002	3-1/4"	0.97"	2.57"	1.34"	0.12"	7/32"	0.18	
BACKING PLATE FOR S3703-1002 (316 STAINLESS STEEL)								
S3703-BP12	3-1/4"	1/4"	2.57"	1.34"	0.08"		0.14	

NOTE:
STAMPED AND WELDED CONSTRUCTION.


REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



HEAVY DUTY OBLONG PAD EYE



316 STAINLESS STEEL



ITEM	SIZE	A	B	C	D	E	F	WLL	WT
	(length)							(lb)	(lb)
S3705-X001	3"	0.85"	2.12"	0.63"	0.53"	0.31"	0.24"	1,000	0.15
S3705-X002	3-1/2"	1.24"	2.65"	0.76"	0.60"	0.37"	0.26"	1,500	0.29
S3705-X003	4"	1.42"	3.04"	0.88"	0.68"	0.37"	0.28"	2,000	0.44
BACKING PLATE FOR S3705-X SERIES PAD EYES (316 STAINLESS STEEL)									
S3705-BPX1	3"								
S3705-BPX2	3-1/2"								
S3705-BPX3	4"								

NOTE:
HEAVY DUTY ONE PIECE PRECISION CASTING WITHOUT WELDS.


REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



OBLONG PAD EYE



304 STAINLESS STEEL



ITEM	SIZE	A	B	C	D	E	F	WLL	WT
	(length)							(lb)	(lb)
S3705-0005	2-1/8"	0.63"	1.50"	0.51"	0.55"	0.19"	0.14"	450	0.04
S3705-0006	2-1/2"	0.75"	1.80"	0.63"	0.73"	0.23"	0.14"	500	0.06
S3705-0008	3-1/4"	1.01"	2.20"	0.90"	0.84"	0.31"	0.19"	600	0.14
S3705-0010	4"	1.28"	2.50"	1.11"	0.91"	0.35"	0.20"	800	0.23
STAMPED BACKING PLATE FOR S3705-SERIES PAD EYES									
S3706-0005	2-1/8"								
S3706-0006	2-1/2"								
S3706-0008	3-1/4"								
S3706-0010	4"								

NOTE:
REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



LIMITED LIFETIME WARRANTY


SUNCOR STAINLESS®

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

PAD EYE

316-NM STAINLESS STEEL




ITEM	A	B	C	D	WT
	(size)				(lb)
S0324-0005	3/16"	1.06"	0.50"	0.38"	0.04
S0324-0007	1/4"	1.31"	0.63"	0.56"	0.06
S0324-0008	5/16"	1.56"	0.75"	0.63"	0.10
S0324-0010	3/8"	2.00"	1.00"	0.86"	0.19
S0324-0013	1/2"	2.50"	1.25"	1.00"	0.38
S0324-0016	5/8"	3.25"	1.50"	1.38"	0.87
S0324-0020	3/4"	3.78"	1.75"	1.80"	1.52

NOTE:
WLL IS DEPENDENT ON QUALITY OF THE WELDING AND ATTACHED STRUCTURE. PAD EYES HAVE FORGED MARKINGS OF 316-NM AND SIZE. UNDERSIDE IS MACHINED FOR PERFECT SEATING.

ROUND PAD EYE

304 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	E	WLL	WT
	(diameter)						(lb)	(lb)
S3707-0005	1-5/16"	0.75"	0.50"	0.65"	0.19"	0.09"	480	0.05
S3707-0006	1-5/8"	0.91"	0.67"	0.78"	0.23"	0.12"	500	0.08
S3707-0008	2"	1.17"	0.86"	0.97"	0.30"	0.12"	600	0.15

NOTE:
STAMPED AND WELDED CONSTRUCTION.
REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.

PAD EYE

304 STAINLESS STEEL




ITEM	SIZE	A	B	C	WLL	WT
		(max. diameter)			(lb)	(lb)
S3719-0004	5/32"	0.46"	1.25"	0.15"	300	0.01
S3719-0005	3/16"	0.56"	1.57"	0.19"	400	0.02
S3719-0006	1/4"	0.63"	1.75"	0.23"	500	0.03
S3719-0008	5/16"	0.63"	1.95"	0.31"	600	0.06

NOTE:
ROUND CROSS-SECTION PREVENTS CHAFE OF ROPE.
REFERENCE "FASTENER MATCHING CHART" (PAGE 166-167) FOR COMPATIBLE FASTENERS.

HEAVY DUTY PAD EYE

316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
					(max. diameter)	(lb)	(lb)
S3719-1005	5/8"	0.63"	1.40"	0.19"	0.39"	350	0.03

NOTE:
ITEM IS CAST. ROUND BAR PREVENTS CHAFE OF ROPE.
REFERENCE "FASTENER MATCHING CHART" (PAGE 167) FOR COMPATIBLE FASTENERS.

PAD EYE

304 STAINLESS STEEL



ITEM	SIZE	A	B	C	WLL	WT
		(max. diameter)			(lb)	(lb)
S3710-0010	3/8"	0.42"	1.25"	0.18"	220	0.01
S3710-0015	1/2"	0.52"	1.40"	0.25"	230	0.02
S3710-0020	3/4"	0.78"	1.70"	0.29"	350	0.03
S3710-0028	15/16"	0.93"	2.50"	0.25"	250	0.03
S3710-0032	1-1/8"	1.12"	2.62"	0.29"	400	0.05

NOTE:
SIZE IS THE MAXIMUM INSIDE DIAMETER.
REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



Key:



Made in USA



Drop Forged



Precision Machined



Wire Formed



Suncor Exclusive



Import



Precision Cast



Stamped



Load Rated



New Product


ORDERS ONLY: 800-394-2222 (USA+CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc. © 2020 Suncor Stainless, Inc.

2 HOLE EYE STRAP



304 STAINLESS STEEL




ITEM	SIZE	A	B	C	WLL	WT
					(lb)	(lb)
S3708-0010	3/8"	0.32"	0.43"	1.15"	50	0.01
S3708-0013	1/2"	0.50"	0.28"	1.27"	75	0.01
S3708-0016	5/8"	0.65"	0.46"	1.55"	100	0.02

NOTE:
SIZE IS THE MAXIMUM INSIDE DIAMETER.

4 HOLE EYE STRAP



304 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
						(lb)	(lb)
S3709-0010	3/8"	0.33"	0.43"	1.15"	2.10"	75	0.02
S3709-0013	1/2"	0.44"	0.43"	1.30"	2.24"	75	0.02
S3709-0016	5/8"	0.55"	0.43"	1.40"	2.35"	75	0.02

NOTE:
ROUNDED SADDLE PREVENTS CHAFE OF ROPE ON EDGES.
SIZE IS THE MAXIMUM INSIDE DIAMETER.

FLAT HOOK



316 STAINLESS STEEL




ITEM	SIZE	A	B	C	WT
					(lb)
S3715-0000	5/16"	1.62"	0.50"	0.45"	0.02

NOTE:
USE 2 #10 FASTENERS. ROUNDED SADDLE PREVENTS
CHAFE OF ROPE ON EDGES.

ANCHOR EYE



316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WT
						(lb)
S3701-0001	#1	0.40"	1.34"	0.70"	0.85"	0.05

NOTE:
USE 2 #8 FASTENERS. WORKS WITH MOST WEBBING CLIPS,
SUCH AS S0221-SERIES, S0220-0025, S0211-0025 AND "S" HOOKS.
REFERENCE "FASTENER MATCHING CHART" (PAGE 166)
FOR COMPATIBLE FASTENERS.

ANCHOR SWIVEL EYE



316 STAINLESS STEEL



ITEM	A	B	C	D	WT
					(lb)
S3701-0002	0.26"	2.52"	1.82"	1.28"	0.16

BACKING PLATE FOR S3701-0002 (316 STAINLESS STEEL)
S3701-BP02

NOTE:
THIS PART IS DESIGNED TO SWIVEL 360 DEGREES
AND ALLOW 180 DEGREE ALIGNMENT OF ATTACHMENT.
USE 2 #8 FASTENERS. WORKS WITH MOST WEBBING
CLIPS SUCH AS S0221-SERIES, S0220-0025, S0211-0025
AND "S" HOOKS.

REFERENCE "FASTENER MATCHING CHART" (PAGE 166)
FOR COMPATIBLE FASTENERS.



**LIMITED LIFETIME
WARRANTY**

SUNCOR STAINLESS®


TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

FOLDING PAD EYE



316 STAINLESS STEEL



ITEM	SIZE	A	B	C	D	WLL	WT
S3711-0003	1/8"	0.13"	0.86"	0.83"	N/A	(lb) 50	(lb) 0.02
S3711-0007	1/4"	0.23"	1.52"	2.00"	1.35"	210	0.13
S3711-0008	5/16"	0.31"	1.72"	2.50"	1.48"	400	0.24

NOTE:
PART # S3711-0003 (SHOWN AT RIGHT) HAS A ONE PIECE HOLDING BODY. HOWEVER, THE LARGER SIZES HAVE A "D" RING WHICH IS SET BETWEEN A TWO PIECE HOLDING BODY, ENSURING PERFECT MOVEMENT "D" RING ON ANY SURFACE.


REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



HEAVY DUTY FOLDING PAD EYE



316 STAINLESS STEEL



ITEM	A	B	C	D	E	F	WLL	WT
	(size)						(lb)	(lb)
S3712-0001	1/4"	1.06"	1.53"	0.94"	0.50"	1.75"	1,200	0.13
S3712-0002	5/16"	1.38"	1.94"	1.25"	0.69"	2.27"	2,000	0.25
S3712-0003	3/8"	1.75"	2.53"	1.63"	0.84"	3.00"	4,000	0.60


NOTE:
"D" RING IS FORGED 316 STAINLESS AND HOLDING PAD BODY IS PRECISION CAST 316.

REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.

UNIVERSAL BACKING PLATE



316 STAINLESS STEEL




ITEM	A	B	C	D	E	WLL	WT
S3712-0005	2.50"	0.12"	3/8"	5/16"	1/4"		(lb) 0.14

NOTE:
HD UNIVERSAL BACKING PLATE IS DESIGNED FOR USE WITH ANY OF THE THREE FOLDING PAD EYES LISTED ABOVE.

SWIVEL PAD EYE



304 STAINLESS STEEL




ITEM	A	B	C	D	E	WLL	WT
S3714-0005	3/16"	0.61"	0.89"	0.72"	1.29"	(lb) 200	(lb) 0.08
S3714-0006	1/4"	0.75"	1.02"	0.78"	1.57"	300	0.12
S3714-0008	5/16"	0.76"	1.38"	0.99"	1.85"	480	0.20


NOTE:
RING ROTATES 360 DEGREES. MOUNTING HOLES ARE 5/32" EXCEPT FOR S3714-0008, WHICH HAS 3/16" MOUNTING HOLES. SCREWS NOT INCLUDED.

REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.

SWIVEL PAD EYE w/ RING



304 STAINLESS STEEL




ITEM	A	B	C	D	E	WLL	WT
S3714-R005	3/16"	1.21"	0.89"	0.72"	2.50"	(lb) 200	(lb) 0.10
S3714-R006	1/4"	1.61"	1.02"	0.78"	3.16"	300	0.18
S3714-R008	5/16"	1.98"	1.38"	0.99"	3.75"	480	0.32

NOTE:
RING WITH LARGER RING ROTATES 360 DEGREES. MOUNTING HOLES ARE 5/32" EXCEPT FOR S3714-R008, WHICH HAS 3/16" MOUNTING HOLES. SCREWS NOT INCLUDED.

REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



Key:




ORDERS ONLY: 800-394-2222 (USA+CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc. © 2020 Suncor Stainless, Inc.

TOW PAD EYE



316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	E	WT
	(length)						(lb)
S3718-0000	3-1/2"	0.62"	2.80"	1.25"	2.00"	0.26"	0.80

NOTE:
HEAVY DUTY PAD EYE PROVIDES A THRU-HULL BOW ATTACHMENT FOR SMALL CRAFT TOWING. BACKING PLATE SOLD WITH TOW PAD EYE FOR MAXIMUM LOAD DISTRIBUTION.


REFERENCE "FASTENER MATCHING CHART" (PAGE 166) FOR COMPATIBLE FASTENERS.



BACKING PLATE



304 STAINLESS STEEL




ITEM	A	B	C
S3716-1015	3/32"	4.00"	6.00"
S3716-1520	3/32"	6.00"	8.00"
S3716-2030	3/32"	8.00"	12.00"

NOTE:
USED FOR BACKING OF CLEATS, CHOCKS, ETC. UNDRILLED, CAN BE CUSTOMIZED AT ADDITIONAL CHARGE.

LASHING RING - "WELD-ON"



316 STAINLESS STEEL



ITEM	A	B	C	D	E	F	WLL	WT
	(size)						(lb)	(lb)
S3722-0013	1/2"	2.35"	2.12"	3.65"	1.38"	1.96"	*3,000	1.00
S3722-0016	5/8"	2.94"	2.55"	4.48"	1.75"	2.56"	*4,500	2.18
S3722-0020	3/4"	2.98"	2.58"	4.63"	1.89"	2.56"	*6,500	2.53
S3722-0025	1"	3.00"	2.52"	5.14"	2.14"	2.56"	*8,500	4.47

NOTE:
HEAVY DUTY LASHING RING IS DESIGNED FOR DEMANDING TIE-DOWN APPLICATIONS. "D" RING IS FORGED 316 STAINLESS STEEL AND FOLDS FLUSH WHEN NOT IN USE. FEATURES WELD-ON MOUNTING PLATE. IDEAL FOR CARGO APPLICATIONS SUCH AS OVERSEAS CONTAINER SHIPMENTS OR LONG DISTANCE HAULING IN EXPOSED ELEMENTS.


*WORKING LOAD LIMIT DEPENDS ON THE QUALITY OF THE WELD ATTACHING THE BASE.

FORGED

LASHING RING - "BOLT-ON"



316 STAINLESS STEEL



ITEM	A	B	C	D	E	F	BOLT	WLL	WT
	(size)						(diameter)	(lb)	(lb)
S3723-0013	1/2"	2.35"	2.14"	3.56"	2.63"	0.34"	5/16"	3,000	1.18
S3723-0016	5/8"	2.94"	2.61"	4.42"	2.75"	0.41"	3/8"	4,500	2.25
S3723-0020	3/4"	2.98"	2.58"	4.56"	3.19"	0.41"	3/8"	6,500	3.00
S3723-0025	1"	3.00"	2.52"	5.17"	4.25"	0.53"	1/2"	8,500	5.18


NOTE:
HEAVY DUTY LASHING RING IS DESIGNED FOR DEMANDING TIE-DOWN APPLICATIONS. "D" RING IS FORGED 316 STAINLESS STEEL AND FOLDS FLUSH WHEN NOT IN USE. FEATURES BOLT-ON MOUNTING PLATE. IDEAL FOR CARGO APPLICATIONS SUCH AS OVERSEAS CONTAINER SHIPMENTS OR LONG DISTANCE HAULING IN EXPOSED ELEMENTS.

FORGED

TIE DOWN TAB



304 STAINLESS STEEL



ITEM	A	B	C	D	E	F	WLL	WT
	(size)						(lb)	(lb)
S3725-0060	1-5/16"	1.38"	2.39"	0.39"	1.69"	0.16"	1,120	0.15

NOTE:
TIE DOWN TAB HAS A SINGLE MOUNTING HOLE AND ROTATES 360°. MOUNTING FASTENER IS NOT INCLUDED. NEVER USE FOR LIFTING APPLICATIONS.

LIMITED LIFETIME WARRANTY

SUNCOR STAINLESS®


TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

TIE DOWN TAB WITH RING



304 STAINLESS STEEL




ITEM	A	B	C	D	E	F	WLL	WT
	(size)						(lb)	(lb)
S3725-R050	1-5/16"	0.15"	3.25"	0.39"	2.02"	0.41"	1,200	0.30

NOTE:
TIE DOWN TAB HAS A SINGLE MOUNTING HOLE AND ROTATES 360°. MOUNTING FASTENER IS NOT INCLUDED. NEVER USE FOR LIFTING APPLICATIONS.

SNAP COAT HOOK



316 STAINLESS STEEL













ITEM	A	B	C	D	FAST.	WT
	(length)					(lb)
S3840-0003	1.44"	1.30"	1.00"	0.31"	#6 Screws	0.08

NOTE:
USE 2 #6 FASTENERS. FEATURES RECESSED CHANNEL FOR A COMPLETE OPENING OF LATCH. CLIP CAN ALSO BE USED WITH OTHER TIE-DOWN COMPONENTS.



ORDERS ONLY: 800-394-2222
(USA+CANADA)

Key:

-  Made in USA
-  Drop Forged
-  Precision Machined
-  Wire Formed
-  Suncor Exclusive
-  Import
-  Precision Cast
-  Stamped
-  Load Rated
-  New Product

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc. © 2020 Suncor Stainless, Inc.