

SUNCOR STAINLESS, INC.

WEBBING



 **SUNCOR[®]**
Stainless

RATCHET ASSEMBLY ENDLESS

304 STAINLESS STEEL & WEBBING



ITEM	WEBBING (width)	LENGTH (overall)	RATCHET (part #)	WLL (lb)	WT (lb)
BLACK					
S0201-EN10	1"	10'	S0201-0025	440	0.73
S0201-EN15	1"	15'	S0201-0025	440	0.86
S0201-EN20	1"	20'	S0201-0025	440	1.03
S0201-EN30	1"	30'	S0201-0025	440	1.32
BLUE					
S0201-EN10-B	1"	10'	S0201-0025	440	0.73
S0201-EN15-B	1"	15'	S0201-0025	440	0.86
S0201-EN20-B	1"	20'	S0201-0025	440	1.03
S0201-EN30-B	1"	30'	S0201-0025	440	1.32
WHITE					
S0201-EN10-W	1"	10'	S0201-0025	440	0.73
S0201-EN15-W	1"	15'	S0201-0025	440	0.86
S0201-EN20-W	1"	20'	S0201-0025	440	1.03
S0201-EN30-W	1"	30'	S0201-0025	440	1.32
ORANGE					
S0201-EN10-O	1"	10'	S0201-0025	440	0.73
S0201-EN15-O	1"	15'	S0201-0025	440	0.86
S0201-EN20-O	1"	20'	S0201-0025	440	1.03
S0201-EN30-O	1"	30'	S0201-0025	440	1.32

NOTE:
INFORMATION ON S0201-0025 RATCHET BUCKLE CAN BE FOUND ON PAGE 108.

BLACK					
S0203-EN10	1-1/2"	10'	S0203-HD38	1,100	2.06
S0203-EN20	1-1/2"	20'	S0203-HD38	1,100	2.46
S0203-EN30	1-1/2"	30'	S0203-HD38	1,100	2.89
BLUE					
S0203-EN10-B	1-1/2"	10'	S0203-HD38	1,100	2.06
S0203-EN20-B	1-1/2"	20'	S0203-HD38	1,100	2.46
S0203-EN30-B	1-1/2"	30'	S0203-HD38	1,100	2.89

NOTE:
INFORMATION ON S0203-HD38 RATCHET BUCKLE CAN BE FOUND ON PAGE 108. ADDITIONAL COLORS AVAILABLE UPON REQUEST.

BLACK					
S0204-EN10	2"	10'	S0204-HD50	1,650	3.09
S0204-EN20	2"	20'	S0204-HD50	1,650	3.69
S0204-EN30	2"	30'	S0204-HD50	1,650	4.45
BLUE					
S0204-EN10-B	2"	10'	S0204-HD50	1,650	3.09
S0204-EN20-B	2"	20'	S0204-HD50	1,650	3.69
S0204-EN30-B	2"	30'	S0204-HD50	1,650	4.45

NOTE:
INFORMATION ON S0204-HD50 RATCHET BUCKLE CAN BE FOUND ON PAGE 108. ADDITIONAL COLORS AVAILABLE UPON REQUEST.

CAM BUCKLE ASSEMBLY W/ "J" HOOKS

304 AND 316 STAINLESS STEEL & WEBBING



fixed end



ITEM	WEBBING (width)	LENGTH (overall)	LENGTH (fixed end)	HOOKS (part #)	WLL (lb)	WT (lb)
BLACK						
S0205-JJ10	1"	10'	12"	S0211-0025	100	0.71
S0205-JJ20	1"	20'	12"	S0211-0025	100	0.98
S0205-JJ30	1"	30'	12"	S0211-0025	100	1.30
BLUE						
S0205-JJ10-B	1"	10'	12"	S0211-0025	100	0.71
S0205-JJ20-B	1"	20'	12"	S0211-0025	100	0.98
S0205-JJ30-B	1"	30'	12"	S0211-0025	100	1.30
WHITE						
S0205-JJ10-W	1"	10'	12"	S0211-0025	100	0.71
S0205-JJ20-W	1"	20'	12"	S0211-0025	100	0.98
S0205-JJ30-W	1"	30'	12"	S0211-0025	100	1.30
ORANGE						
S0205-JJ10-O	1"	10'	12"	S0211-0025	100	0.71
S0205-JJ20-O	1"	20'	12"	S0211-0025	100	0.98
S0205-JJ30-O	1"	30'	12"	S0211-0025	100	1.30

NOTE:
INFORMATION ON S0205-0025 CAM BUCKLE CAN BE FOUND ON PAGE 109. INFORMATION ON S0211-0025 DOUBLE "J" WEB HOOK CAN BE FOUND ON PAGE 110.

LIMITED LIFETIME WARRANTY

SUNCOR STAINLESS®

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

OVER-CENTER ASSEMBLY W/ CLIPS

304 AND 316 STAINLESS STEEL & WEBBING



fixed end



ITEM	WEBBING LENGTH		LENGTH	CLIPS	WLL	WT
	(width)	(overall)	(fixed end)	(part #)	(lb)	(lb)
BLACK						
S0207-0325	1"	3'	12"	S0172-0080	300	0.55
S0207-0425	1"	4'	12"	S0172-0080	300	0.58
S0207-0525	1"	5'	12"	S0172-0080	300	0.61
S0207-0625	1"	6'	12"	S0172-0080	300	0.64
S0207-1025	1"	10'	12"	S0172-0080	300	0.75
S0207-1225	1"	12'	12"	S0172-0080	300	0.81
S0207-1625	1"	16'	12"	S0172-0080	300	0.93
S0207-2025	1"	20'	12"	S0172-0080	300	1.05
BLUE						
S0207-0325-B	1"	3'	12"	S0172-0080	300	0.55
S0207-0425-B	1"	4'	12"	S0172-0080	300	0.58
S0207-0525-B	1"	5'	12"	S0172-0080	300	0.61
S0207-0625-B	1"	6'	12"	S0172-0080	300	0.64
S0207-1025-B	1"	10'	12"	S0172-0080	300	0.75
S0207-1225-B	1"	12'	12"	S0172-0080	300	0.81
S0207-1625-B	1"	16'	12"	S0172-0080	300	0.93
S0207-2025-B	1"	20'	12"	S0172-0080	300	1.05
BLACK						
S0207-0350	2"	3'	17"	S0172-0120	600	2.24
S0207-0450	2"	4'	17"	S0172-0120	600	2.28
S0207-0550	2"	5'	17"	S0172-0120	600	2.32
S0207-0650	2"	6'	17"	S0172-0120	600	2.36
S0207-1050	2"	10'	17"	S0172-0120	600	2.53
S0207-1250	2"	12'	17"	S0172-0120	600	2.61
S0207-1650	2"	16'	17"	S0172-0120	600	2.77
S0207-2050	2"	20'	17"	S0172-0120	600	2.93
BLUE						
S0207-0350-B	2"	3'	17"	S0172-0120	600	2.24
S0207-0450-B	2"	4'	17"	S0172-0120	600	2.28
S0207-0550-B	2"	5'	17"	S0172-0120	600	2.32
S0207-0650-B	2"	6'	17"	S0172-0120	600	2.36
S0207-1050-B	2"	10'	17"	S0172-0120	600	2.53
S0207-1250-B	2"	12'	17"	S0172-0120	600	2.61
S0207-1650-B	2"	16'	17"	S0172-0120	600	2.77
S0207-2050-B	2"	20'	17"	S0172-0120	600	2.93

NOTE: INFORMATION ON S0207-0050 OVER-CENTER BUCKLE, PAGE 108 AND S0172-0120 HARNESS CLIPS, PAGE 61.



HANGING or STRAP KIT #1

304 and 316 STAINLESS STEEL & WEBBING



ITEM	WEBBING LENGTH		CLIP	WLL	WT
	(width)	(overall)	(part #)	(lb)	(lb)
S0236-0000	1"	48"	S0220-0025	70	0.20

NOTE: THIS KIT INCLUDES 48" OF 1" WEBBING WITH A BIMINI CLIP, ONE FIXED THREADING PLATE FOR ADJUSTMENT AND A WELDED "D" RING. SEE PAGE 110-111 FOR BIMINI CLIP PART S0220-0025 AND THREADED PLATE S0215-0025.



HANGING or STRAP KIT #2

304 and 316 STAINLESS STEEL & WEBBING



ITEM	WEBBING LENGTH		CLIP	WLL	WT
	(width)	(overall)	(part #)	(lb)	(lb)
S0236-0001	1"	48"	S0221-0025	130	0.24

NOTE: THIS KIT INCLUDES 48" OF 1" WEBBING WITH A SWIVEL CLIP, ONE FIXED THREADING PLATE FOR ADJUSTMENT AND A WELDED "D" RING. SEE PAGE 110-111 FOR SWIVEL CLIP PART S0221-0025 AND THREADED PLATE S0215-0025.



HANGING or STRAP KIT #3

304 and 316 STAINLESS STEEL & WEBBING



ITEM	WEBBING LENGTH		CLIP	WLL	WT
	(width)	(overall)	(part #)	(lb)	(lb)
S0236-0002	1"	48"	S0221-0025	130	0.26

NOTE: THIS KIT INCLUDES 48" OF 1" WEBBING WITH A SWIVEL CLIP AND THE STAR ADJUSTER. SEE PAGE 111 FOR STAR ADJUSTER S0217-0025 AND PAGE 110 FOR SWIVEL CLIP S0221-0025.



Key:



Made in USA



Drop Forged



Precision Machined



Wire Formed



Suncor Exclusive



Import



Precision Cast



Stamped



Load Rated



New Product

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc. © 2020 Suncor Stainless, Inc.

ORDERS ONLY: 800-394-2222 (USA+CANADA)

COVER TIE-DOWN KIT 316 STAINLESS STEEL & WEBBING



fixed end




ITEM	WEBBING LENGTH		HOOKS (part #)	WLL (lb)	WT (lb)
	(width)	(overall)			
S0280-0004	1"	4'	S0212-0025	170	0.48
S0280-0008	1"	8'	S0212-0025	170	0.64
S0280-0012	1"	12'	S0212-0025	170	0.80
S0280-0016	1"	16'	S0212-0025	170	0.96

NOTE:
TOTAL STRAP LENGTH IS DIVIDED INTO TWO STRAPS
WITH A WELDED "S" HOOK ON THE END OF EACH.

WEBBING WITH FLAT HOOK



304 STAINLESS STEEL & WEBBING



ITEM	A	B	C	WLL (lb)	WT (lb)
	(width)	(length)			
S0233-0002	1"	24"	0.25"	350	0.12
S0233-0005	1"	60"	0.25"	350	0.24



NOTE:
OTHER WEBBING LENGTHS ARE AVAILABLE ON SPECIAL ORDER.
WEBBING IS HIGH QUALITY NYLON. FLAT HOOKS ARE ITEM
S0210-0025. FOR MORE SPECIFICATIONS, SEE PRODUCT
ON PAGE 110.



WEBBING WITH BIMINI CLIP



304 STAINLESS STEEL & WEBBING



ITEM	A	B	C	WLL (lb)	WT (lb)
	(width)	(length)			
S0234-0004	1"	48"	0.20"	70	0.13


NOTE:
OTHER WEBBING LENGTHS ARE AVAILABLE ON SPECIAL ORDER.
WEBBING IS HIGH QUALITY NYLON. BIMINI HOOKS ARE ITEM
S0220-0025. FOR MORE SPECIFICATIONS, SEE PRODUCT
ON PAGE 110.



WEBBING WITH SWIVEL CLIP



304 STAINLESS STEEL & WEBBING



ITEM	A	B	C	WLL (lb)	WT (lb)
	(width)	(length)			
S0235-0004	1"	48"	0.41"	130	0.18


NOTE:
OTHER WEBBING LENGTHS ARE AVAILABLE ON SPECIAL ORDER.
WEBBING IS HIGH QUALITY NYLON. SWIVEL HOOKS ARE ITEM
S0221-0025. FOR MORE SPECIFICATIONS, SEE PRODUCT
ON PAGE 110.



WEBBING WITH SEWN LOOP



WEBBING



ITEM	A	LENGTH	WLL	WT
			(lb)	(lb)
S0232-0002	1"	24"	1,000	0.08
S0232-0003	1"	36"	1,000	0.12
S0232-0004	1"	48"	1,000	0.16

NOTE:
OTHER WEBBING LENGTH OR WIDTH COMBINATIONS ARE AVAILABLE
ON SPECIAL ORDER. WEBBING IS HIGH QUALITY NYLON.



**LIMITED LIFETIME
WARRANTY**

SUNCOR STAINLESS®


TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

WEBBING AND HOOK




316 STAINLESS STEEL & WEBBING



ITEM	A	B	C	HOOK	WLL	WT
					(lb)	(lb)
C0270-2050	2"	20 FT.	0.70"	S0454-0008	1,600	1.25

NOTE:
THIS ASSEMBLY IS OFFERED AS A REPLACEMENT OR AN UPGRADE FOR WINCHES USING WEBBING AND HOOK COMBINATIONS. OTHER LENGTHS OF WEBBING ARE AVAILABLE ON SPECIAL ORDER.

**WEBBING IS HIGH QUALITY NYLON.
HOOK (S0454-0008 ON PAGE 57) IS FORGED STAINLESS STEEL.**



TRAILER WINCH

304 / 410 STAINLESS STEEL



ITEM	LENGTH	WIDTH	HEIGHT	WLL	WT
	(size)			(lb)	(lb)
C0270-0001	7.25"	4.25"	6.00"	1,200	5.60

NOTE:
RATCHET LEVER CAN BE SET TO FORWARD, NEUTRAL OR REVERSE.
MEASURED WITHOUT HANDLE INSTALLED.

C0270-2001 WINCH WITH STRAP AND HOOK 6.89

NOTE:
WINCH AS ABOVE WITH WEBBING AND HOOK INCLUDED. ASSEMBLY IS WINCH, AN INSTALLED 20' WEB STRAP AND A FORGED EYE HOOK. REPLACEMENT STRAPS SOLD SEPARATELY: S0270-2050.

RATCHET BUCKLE

304 STAINLESS STEEL



ITEM	WEBBING WIDTH	LENGTH	HEIGHT	WLL	WT
	(width)			(lb)	(lb)
S0201-0025	1"	1.50"	4.53"	1.57"	440 0.45
S0203-HD38	1-1/2"	2.48"	5.87"	2.36"	1,100 1.60
S0204-HD50	2"	3.00"	6.54"	2.44"	1,650 2.18

HEAVY DUTY

NOTE:
EACH RATCHET BUCKLE CHANGES IN APPEARANCE. THE HANDLE GETS BIGGER AS THE SIZE INCREASES. RATCHET BUCKLES HAVE DUAL LOCKS.

HD MODELS ALSO FEATURE PATENTED "HANDLE DOWN" LOCK. RATCHET BUCKLES OFFER THE TIGHTEST GRIP AND THE EASIEST ADJUSTMENT.

OVER-CENTER BUCKLE

304 STAINLESS STEEL




ITEM	WEBBING WIDTH	LENGTH	HEIGHT	WLL	WT
				(lb)	(lb)
S0207-0025	1"	1.39"	3.69"	0.74"	300 0.14
S0207-0050	2"	2.45"	7.16"	1.06"	600 0.57

NOTE:
GOOD GRIP. COMES WITH THREADING DIRECTIONS.
S0207-0050 OVER-CENTER BUCKLE CAN BE SURFACE MOUNTED.

MINI OVER-CENTER BUCKLE

304 STAINLESS STEEL



ITEM	WEBBING	A	B	C	WLL	WT
		(width)	(length)	(height)	(lb)	(lb)
S0207-0026	1"	1.43"	2.56"	1.06"	400	0.33

NOTE:
MOST COMPACT STAINLESS OVER-CENTER BUCKLE AVAILABLE ON THE MARKET. IDEAL FOR BOAT COVER TIE-DOWNS AND MANY OTHER USES.



ORDERS ONLY: 800-394-2222 (USA+CANADA)

Key:


Made in USA	Drop Forged	Precision Machined	Wire Formed	Suncor Exclusive
Import	Precision Cast	Stamped	Load Rated	New Product

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc. © 2020 Suncor Stainless, Inc.

CAM BUCKLE



316 STAINLESS STEEL




ITEM	WEBBING	A	B	C	WLL	WT
		(width)	(length)	(height)	(lb)	(lb)
S0205-0025	1"	1.19"	1.74"	0.48"	100	0.10

NOTE:
CAM BUCKLE USED FOR LIGHT-DUTY WEBBING APPLICATIONS.

DELTA OR HARNESS LINK



304 STAINLESS STEEL



ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0213-0050	2"	0.55"	1.90"	1,200	0.21


NOTE:
MATERIAL THICKNESS IS 0.20"

WORKING LOADS ARE BASED ON "A" LENGTH BEING USED IN FULL AND NOT UNDER POINT OR SHOCK LOAD.

FOOTMAN'S LOOP



316 STAINLESS STEEL



ITEM	A	B	C	FAST.	WLL	WT
	(size)				(lb)	(lb)
S0224-0025	1"	0.24"	1.48"	#8 Screws	400	0.04
S0224-0050	2"	0.24"	2.48"	#8 Screws	400	0.05

NOTE:
CAN BE USED HORIZONTALLY OR VERTICALLY. PATENTED, "NO SNAG" DESIGN. USE FLAT HOOK S0210-0025 TO ATTACH WEBBING OR SLIP THE WEBBING WITH SEWN LOOP (S0232-SERIES, PAGE 107) OVER THE FITTING BEFORE TIGHTENING ATTACHMENT.


REFERENCE "FASTENER MATCHING CHART" (PAGE 164) FOR COMPATIBLE FASTENERS.



"D" RING



316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0139-X325	1/8"	0.88"	1.00"	1.25"	100	0.01
S0139-X525	3/16"	1.06"	1.00"	1.38"	300	0.04
S0139-X540	3/16"	1.31"	1.50"	1.88"	300	0.05
S0139-X625	1/4"	1.25"	1.00"	1.50"	500	0.06
S0139-X640	1/4"	1.50"	1.50"	2.00"	500	0.08
S0139-X650	1/4"	1.75"	2.00"	2.50"	500	0.10
S0139-X850	5/16"	1.94"	2.00"	2.62"	800	0.18
S0139-X865	5/16"	2.19"	2.50"	3.12"	800	0.22
S0139-X875	5/16"	2.44"	3.00"	3.62"	800	0.24

NOTE:
WORKING LOADS ARE BASED ON "C" LENGTH BEING USED IN FULL BY WEBBING, AND NOT UNDER POINT OR SHOCK LOAD.

WEBBING SHACKLE




316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0231-0025	1"	0.19"	0.33"	1.14"	200	0.03

NOTE:
PATENTED "NO SNAG" DESIGN. CAN BE USED IN COMBINATION WITH WALL CLIP S0230-0000 ON PAGE 111: PIN FITS THROUGH HOLE IN CLIP. USE WITH FLAT WEB HOOK (SHOWN ON PAGE 110) OR WITH WEBBING WITH SEWN LOOP (S0232-SERIES) ON PAGE 107. COMPATIBLE WITH SWIVEL PAD EYE.



LIMITED LIFETIME WARRANTY

SUNCOR STAINLESS®


TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

FLAT WEB HOOK



304 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
						(lb)	(lb)
S0210-0025	1"	1.24"	0.13"	0.25"	0.94"	350	0.04
S0210-0038	1-1/2"	1.56"	0.28"	0.63"	1.70"	1,000	0.44
S0210-0050	2"	1.97"	0.30"	0.63"	1.70"	1,500	0.43

NOTE:
USE TO ATTACH TO TRAILER FRAME OR S0210-0025 TO FOOTMAN'S LOOP (S0224-SERIES) ON PAGE 109.

DOUBLE "J" WEB HOOK



304 STAINLESS STEEL




ITEM	SIZE	A	B	C	WLL	WT
					(lb)	(lb)
S0211-0025	1"	0.78"	0.27"	2.35"	400	0.15
S0211-0038	1-1/2"	0.78"	0.38"	3.44"	1,000	0.40
S0211-0050	2"	0.78"	0.38"	3.44"	1,500	0.41

WELDED "S" WEB HOOK



316 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
						(lb)	(lb)
S0212-0025	1"	0.25"	3.50"	1.00"	1.00"	200	0.12
S0212-0038	1-1/2"	0.31"	4.50"	1.50"	1.50"	300	0.22
S0212-0050	2"	0.38"	6.18"	2.00"	2.00"	400	0.46

NOTE:
QUALITY "S" HOOK IS WELDED TO PREVENT WEBBING FROM SLIPPING THROUGH. BULK ORDERS OF OTHER SIZES OR TYPES MAY BE PLACED ON SPECIAL ORDER.

FIXED BIMINI CLIP



304 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0220-0025	1"	0.23"	0.20"	1.94"	70	0.03

NOTE:
SEE COMBINATIONS ON PAGE 106 AND 107 FOR READY-MADE ASSEMBLIES.

SWIVEL WEB CLIP



316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0221-0025	1"	0.63"	0.32"	2.56"	130	0.07
S0221-0038	1-1/2"	0.63"	0.32"	2.63"	130	0.08
S0221-0050	2"	0.63"	0.32"	2.71"	130	0.10

NOTE:
NEW "SLIMLINE" BAIL FOR WEBBING. SPECIAL TORSION SPRING GATE FOR LONGER LIFE. COMBINATION POSSIBLE WITH STAR ADJUSTER™ (S0217-0025, PAGE 111).

SEE COMBINATIONS ON PAGE 106 AND 107 FOR READY-MADE ASSEMBLIES.



ORDERS ONLY: 800-394-2222 (USA+CANADA)

Key:



Made in USA



Drop Forged



Precision Machined



Wire Formed



Suncor Exclusive



Import



Precision Cast



Stamped



Load Rated




New Product

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.

© 2020 Suncor Stainless, Inc.


HARNESS CLIP WITH D RING

316 STAINLESS STEEL





ITEM	A	B	C	D	E	WLL	WT
	(size)					(lb)	(lb)
S0223-8025	3-1/4"	0.52"	0.69"	0.31"	1.00"	650	0.20

NOTE:
"D" RING IS FORGED, AND CLIPS ARE FORMED WITH FORGED END AND STAMPED WITH WLL.



FIXED THREADING PLATE

304 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0215-0025	1"	0.15"	0.95"	1.38"	150	0.03
S0215-0038	1-1/2"	0.24"	1.18"	2.04"	200	0.05
S0215-0050	2"	0.25"	1.25"	2.50"	250	0.07
S0215-L050	2"	0.17"	0.87"	2.36"	100	0.04

NOTE:
HIGH QUALITY THREADING PLATE MADE FROM THICK STAINLESS PLATE.
L050 IS NARROW TYPE PLATE (NOT SHOWN) FOR LIGHTER DUTY.

ADJUSTABLE SLIDE

304 STAINLESS STEEL




ITEM	A	B	WLL	WT
	(size)		(lb)	(lb)
S0216-0025	1"	0.76"	350	0.05
S0216-0045	1-3/4"	0.97"	400	0.12
S0216-0050	2"	0.90"	500	0.14

NOTE:
FEATURES KNURLED BAR, FREE SLIDING FROM SIDE TO SIDE INSIDE A HIGH QUALITY, WELDED RECTANGLE. SEW WEBBING ON WELDED SIDE AND USE OTHER SIDE FOR ADJUSTMENT.



WALL OR CEILING CLIP

316 STAINLESS STEEL




ITEM	A	B	C	FAST.	WLL	WT
	(length)				(lb)	(lb)
S0230-0000	1.77"	1.25"	0.26"	# 10 Screws	350	0.14

NOTE:
HAS SPECIAL HOLE TO ALLOW COMBINATION WITH WEBBING SHACKLE (S0231-0025) ON PAGE 109. CLIP CAN ALSO BE USED WITH OTHER TIE-DOWN COMPONENTS TO SECURE LARGER OBJECTS SUCH AS HOSES, ROPES, CANOES, ETC.
SEE RATCHET BUCKLES AND OUR LINE OF WEBBING/TIE-DOWN HARDWARE IN THIS SECTION.
REFERENCE "FASTENER MATCHING CHART" (PAGE 164) FOR COMPATIBLE FASTENERS.



STAR ADJUSTER™

316 STAINLESS STEEL



ITEM	A	B	C	WLL	WT
	(size)		(height)	(lb)	(lb)
S0217-0025	1"	2.41"	0.42"	500	0.09

NOTE:
HIGHEST QUALITY ADJUSTER FEATURES TEETH ON BACK TO SECURELY HOLD WEBBING. ROUND RECESS WILL ACCEPT SWIVEL WEB CLIP S0221-0025, PAGE 110.
FOR READY-MADE ASSEMBLY, SEE ITEM S0237-0000-C ON PAGE 113.

LIMITED LIFETIME WARRANTY

 **SUNCOR STAINLESS®**

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

DOUBLE JACKLINE W/ CLIP



316 STAINLESS STEEL & WEBBING

KIT INCLUDES:

- 1 - Heavy-Duty Harness Clip
- 2 - Lengths of Webbing



ITEM	LENGTH	WEBBING	CLIP	WLL	WT
		(width)	(part #)	(lb)	(lb)
BLUE JACKLINE - NYLON TUBULAR WEBBING					
C0240-0035-B	35'	1"	S0172-0100	1,200	2.65
C0240-0045-B	45'	1"	S0172-0100	1,200	2.86
C0240-0055-B	55'	1"	S0172-0100	1,200	3.07
NOTE: SUNCOR'S NEW JACKLINE KIT COMBINES THE STRENGTH OF OUR HIGH QUALITY TUBULAR WEBBING WITH THE DURABILITY OF OUR 316 STAINLESS STEEL HEAVY DUTY HARNESS CLIPS. FOR MORE INFORMATION ON THE S0172-0100 HARNESS CLIPS, REFER TO PAGE 61.					

DOUBLE JACKLINE W/ CLIP



316 STAINLESS STEEL & WEBBING

KIT INCLUDES:

- 1 - Heavy-Duty Harness Clip
- 2 - Lengths of Webbing



ITEM	LENGTH	WEBBING	CLIP	WLL	WT
		(width)	(part #)	(lb)	(lb)
ORANGE JACKLINE - NYLON WEBBING					
C0240-0035-O	35'	1"	S0172-0100	1,200	3.79
C0240-0045-O	45'	1"	S0172-0100	1,200	4.79
C0240-0055-O	55'	1"	S0172-0100	1,200	5.79
NOTE: SUNCOR'S NEW JACKLINE KIT COMBINES THE STRENGTH OF OUR HIGH QUALITY WEBBING WITH THE DURABILITY OF OUR 316 STAINLESS STEEL HEAVY DUTY HARNESS CLIPS. FOR MORE INFORMATION ON THE S0172-0100 HARNESS CLIPS, REFER TO PAGE 61.					

SINGLE JACKLINE W/ CLIP



316 STAINLESS STEEL & WEBBING

KIT INCLUDES:

- 1 - Heavy-Duty Harness Clip
- 1 - Length of Webbing



ITEM	LENGTH	WEBBING	CLIP	WLL	WT
		(width)	(part #)	(lb)	(lb)
BLUE JACKLINE - NYLON TUBULAR WEBBING					
C0240-0035-H-B	35'	1"	S0172-0100	1,200	1.48
C0240-0045-H-B	45'	1"	S0172-0100	1,200	1.58
C0240-0055-H-B	55'	1"	S0172-0100	1,200	1.69
NOTE: SUNCOR'S NEW JACKLINE KIT COMBINES THE STRENGTH OF OUR HIGH QUALITY TUBULAR WEBBING WITH THE DURABILITY OF OUR 316 STAINLESS STEEL HEAVY DUTY HARNESS CLIPS. FOR MORE INFORMATION ON THE S0172-0100 HARNESS CLIPS, REFER TO PAGE 61.					

SINGLE JACKLINE W/ CLIP



316 STAINLESS STEEL & WEBBING

KIT INCLUDES:

- 1 - Heavy-Duty Harness Clip
- 1 - Length of Webbing



ITEM	LENGTH	WEBBING	CLIP	WLL	WT
		(width)	(part #)	(lb)	(lb)
ORANGE JACKLINE - NYLON WEBBING					
C0240-0035-H-O	35'	1"	S0172-0100	1,200	2.05
C0240-0045-H-O	45'	1"	S0172-0100	1,200	2.55
C0240-0055-H-O	55'	1"	S0172-0100	1,200	3.05
NOTE: SUNCOR'S NEW JACKLINE KIT COMBINES THE STRENGTH OF OUR HIGH QUALITY WEBBING WITH THE DURABILITY OF OUR 316 STAINLESS STEEL HEAVY DUTY HARNESS CLIPS. FOR MORE INFORMATION ON THE S0172-0100 HARNESS CLIPS, REFER TO PAGE 61.					

SINGLE JACKLINE W/ LOOP WEBBING



KIT INCLUDES:

- 1 - Length of Webbing with Sewn Loop



ITEM	LENGTH	WEBBING	WLL	WT
		(width)	(lb)	(lb)
BLUE JACKLINE - NYLON TUBULAR WEBBING				
C0240-0035-L-B	35'	1"	1,200	1.19
C0240-0045-L-B	45'	1"	1,200	1.29
C0240-0055-L-B	55'	1"	1,200	1.40
NOTE: SUNCOR'S NEW JACKLINE KIT FEATURES BLUE NYLON TUBULAR WEBBING WITH A SEWN LOOP IN A VARIETY OF LENGTHS. KITS ARE SUPPLIED IN A DURABLE CARRYING CASE, PERFECT FOR STOWING SUPPLIES AND TOOLS.				



ORDERS ONLY: 800-394-2222 (USA+CANADA)

Key:



Made in USA



Import



Drop Forged



Precision Cast



Precision Machined



Stamped



Wire Formed



Load Rated



Suncor Exclusive



New Product

SINGLE JACKLINE W/ LOOP



WEBBING

KIT INCLUDES:

1 - Length of Webbing with Sewn Loop




ITEM	LENGTH	WEBBING	WLL	WT
		(width)	(lb)	(lb)
ORANGE JACKLINE - NYLON WEBBING				
C0240-0035-L-O	35'	1"	1,200	1.77
C0240-0045-L-O	45'	1"	1,200	2.27
C0240-0055-L-O	55'	1"	1,200	2.77

NOTE:
SUNCOR'S NEW JACKLINE KIT FEATURES SAFETY ORANGE NYLON WEBBING WITH A SEWN LOOP IN A VARIETY OF LENGTHS. KITS ARE SUPPLIED IN A DURABLE CARRYING CASE, PERFECT FOR STOWING SUPPLIES AND TOOLS.

SKI TOW TIE-DOWN



316 STAINLESS STEEL & WEBBING



ITEM	COLOR	A	B	C	D	E	WT
S0238-BK06	BLACK	0.19"	1.38"	1.00"	7.00"	2.00"	(lb) 0.08
S0238-WH06	WHITE	0.19"	1.38"	1.00"	7.00"	2.00"	0.11
S0238-OR06	ORANGE	0.19"	1.38"	1.00"	7.00"	2.00"	0.11
S0238-BL06	BLUE	0.19"	1.38"	1.00"	7.00"	2.00"	0.08


NOTE:
DESIGNED FOR SECURING JET SKIS WITH BOW AND TRANSOM EYES TO TRAILER. INSERT THE WEBBING END THROUGH EYE PROVIDING A LOOP TO CLIP YOUR TIE-DOWNS TO. SEWN-IN STAINLESS RING SITS FLUSH ON TOP OF EYES.



STRAP-IT



WEBBING



ITEM	A	B	C	WLL	WT
	(size)				(lb)
S0239-0001-C	10"	4.00"	1.00"	1,000	0.05
S0239-0002-C	13"	5.50"	1.00"	1,000	0.07
S0239-0003-C	16"	7.00"	1.00"	1,000	0.08

NOTE:
ADD A STRAP-IT WHEN A POINT OF ATTACHMENT IS NEEDED. QUICK AND EASY TO INSTALL. A SIMPLE WAY OF PROVIDING A LOOP TO CLIP ONTO, WHILE SECURING YOUR GEAR OR YOUR SAFETY. WEBBING PROTECTS THE OBJECT THAT IT IS WRAPPED AROUND FROM SCRATCHING.



TIDY STRAP

316 STAINLESS STEEL & WEBBING



ITEM	A	B	WLL	WT
	(size)	(length)	(lb)	(lb)
S0237-0000-C	1"	48"	350	0.38


NOTE:
END OF WEBBING IS SECURED TO WALL & CEILING CLIP (S0230-0000, PAGE 111) USING SUNCOR'S WEBBING SHACKLE (S0231-0025, PAGE 109).

ASSEMBLY UTILIZES HIGHEST QUALITY ADJUSTER (PAGE 111), WHICH FEATURES TEETH ON BACK TO SECURELY HOLD WEBBING. ADJUSTER CLIPS INTO THE WALL & CEILING CLIP ABOVE. WLL IS FOR ASSEMBLY ONLY AND EXCLUDES FASTENERS.

REFERENCE "FASTENER MATCHING CHART" (PAGE 164) FOR COMPATIBLE FASTENERS.



3 Easy Steps



Loop Around

Clip

Pull

LIMITED LIFETIME WARRANTY

SUNCOR STAINLESS®

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com